

LIEBHERR

0000 Certain models are not available in all countries. Please confirm exact availability in your country.

Contents

Liebherr Corporate Group	02
Quality, Design and Innovation	06
Flexible accessories	12
BluPerformance	14
BioFresh	18
Food storage centres Side-by-Side fridge-freezers Frenchdoor fridge-freezer	24
Fridge-freezers with bottom freezer with top freezer	42
Fridges	66
Freezers	90
Wine Cabinets	114
VVine Cabinets	



Extremely low energy consumption

Liebherr has always been committed to energy efficiency, which plays a key role from the design stage onwards.

Precision electronic controllers combined with optimised refrigeration components, highly insulating materials and very efficient compressors ensure that our appliances provide excellent energy efficiency.

Once again, Liebherr is leading the way with its range of refrigerators and freezers, offering an attractive selection of appliances in energy efficiency classes A to A+++/-20%.

Global Success: Liebherr Corporate Group











Liebherr Appliances facility in Ochsenhausen, Germany Liebherr Appliances facility in Lienz, Austria

production of more than 2.1 million units.



Liebherr is a third-generation, family-owned company founded by Dr. Hans Liebherr in 1949 with the creation of the first ever mobile crane. With 70 years of success,

Liebherr has become synonymous with the equipment needed to build homes and

manufacturers of construction machinery, Liebherr has expanded to eleven divisions

tower and maritime cranes, aerospace and transportation systems, and hotels. The company currently employs over 43,500 people in more than 130 companies in

over 50 countries worldwide. Liebherr Appliances is Europe's largest privately owned manufacturer of fridges and freezers for residential and commercial use, with an annual

with a wide array of product ranges, including earth moving equipment, mining,

businesses, as well as the appliances within them. One of the world's largest

Quality

For 70 years Liebherr has specialised in the manufacture of high quality, innovative fridges and freezers. From the initial stages of product design, and continuing through development, production and marketing, Liebherr focuses on manufacturing innovative products of the highest quality with timeless and elegant design. We consistently implement new ideas and improved technology to ensure optimum food storage and quality.

Quality fresh food storage: BioFresh

Liebherr's BioFresh technology preserves fresh food for longer. Stored in the BioFresh compartment, at just over 0 °C and at the ideal humidity level, food will retain its nutritional value for far longer than it would in a normal fridge compartment.

Professional quality

As a refrigeration specialist, Liebherr offers a wide range of professional appliances for commercial use. The demands of the professional sector are high; this sector wants reliable, top quality storage that guarantees safe food storage. As you use your Liebherr appliance in the home on a daily basis, you are benefiting from the expertise that Liebherr has accrued from decades in the commercial sector.

Quality assured

So that you can trust your fridge or freezer to perform 24 hours a day, 365 days a year, we check all components at every stage of their development to ensure that they will function reliably for many years. For instance, before our door hinges find their way into production, they have to successfully pass through at least 100.000 opening cycles, which equates to more than 15 years use. All components undergo similar testing.

Approved quality

Prior to packaging, every appliance is subject to a comprehensive quality inspection during which all components - refrigeration, mechanical and electronic systems - are tested. The quality of workmanship is also visually checked. All Liebherr production sites are certified according to international standards for quality management (ISO 9001) and environmental management (ISO 1400).

Guaranteed quality

We provide a two-year warranty that covers all parts and labour costs to repair or replace any part of the appliance that proves to be defective in materials or workmanship. We also offer a ten year parts availability.

VCC compressor

Modern speed-controlled VCC compressors deliver perfect refrigeration performance and ensure that appliances benefit from optimum energy efficiency and cost effectiveness. They operate extremely quietly.







Design

Characterised by elegant and timeless design, Liebherr's fridges and freezers fulfil and surpass the highest aesthetic demands. Extensive detailing – as seen in the superb stainless steel craftsmanship, the choice of high quality materials, the stylish interior fittings, and the practical GlassLine door interior – is typical in our appliances and reveals their design quality.

Design for every kitchen space

So you can enjoy a lifetime of pleasure owning your Liebherr appliance, and find the perfect appliance for you, we offer a wide range of designs including models in classic stainless steel, elegant BlackSteel or vibrant ColourLine finishes, all of which complement modern kitchen and living spaces.

Practical design for daily use

At Liebherr, design and functionality go hand-in-hand. To prevent finger marks on our stainless steel doors, we finish them with a SmartSteel surface. To make door opening easy and convenient, our ergonomically designed handles house an integrated opening mechanism. All GlassLine shelves are dishwasher safe.

Lighting design

Liebherr's fridges and freezers are fitted with modern LED lighting. Upon opening the appliance door, the interior becomes evenly illuminated. LEDs are long-life, energy efficient and generate very little heat. We take meticulous care to install specially selected LEDs in order to achieve a harmonious, slightly bluish tinted lighting effect.

Award-winning design

The superb design quality of our appliances has seen them honoured with many prestigious, international design awards from the likes of Plus X Award, reddot, iF product design and Good Design.









Door Design



HardLine-Design offers a clear, linear and minimalist style creating a pristine overall appearance and a sense of elegance.



SwingLine-Design features elegantly contoured edges for a timeless appeal.



SwingDesign has gently rounded edges resulting in a balanced design.



Innovation

Liebherr was first to implement features that are now standard in today's fridges and freezers. For example: fully enclosed FrostSafe freezer drawers that prevent loss of chilled air when the appliance is opened; patented BioFresh technology; and convenient, SoftSystem cushioned door closure.

Innovative ideas

We place great importance on the continual development of our products. Therefore, at all of our production sites, we have state-of-the-art design centres with highly skilled employees. Our goal is to be 'Best in Class' in every respect. For example, Liebherr's current appliances are super-economical in terms of energy consumption thanks to the incorporation of advanced electronics and optimised refrigeration design.

Energy efficiency as standard

A large proportion of our appliances fall into the highest efficiency classes. We aim to produce energy-saving appliances that do not compromise on convenience. Many of our current appliances are as much as 20% more economical than the threshold value required for the A+++ class.



Innovation for even greater freshness

The latest fridges and freezers offer the ideal climate zone for almost every type of food. So, in addition to the classic refrigerator compartment, Liebherr offers a range of features including the BioCool box: a fruit and vegetable compartment in which humidity can be regulated; BioFresh drawers, in which meat, fish, dairy products, and fruit/vegetables all find their ideal storage climate; and a NoFrost freezer compartment that offers professional quality frost free freezing.

Excellence in every detail

It couldn't be easier to set and adjust appliances with touch screen operation. The GlassLine storage shelves can be easily positioned for tailored use of the interior space. Drinks storage is provided in the door interior and, depending on the model, a bottle rack or versatile bottle shelf offer additional practical storage solutions.

1954

Liebherr home



First electronic



1987 eliminating the need



NoFrost Technology

1993 Conversion to CFC / HFC-free equipment



1996 Patented BioFresh technology - system for extended storage-life



Innovative LED lighting for energy



Vinidor with adjustable



2008 SoftSystem for



2009 SmartSteel finish



DuoCooling for





and efficiency

superior performance

2013











2016 BluPerformance:



2019





The new dimension for built-in appliances





Flexible accessories for your appliance

Discover the versatility of the Liebherr range of accessories for your fridge – and make your daily life a little bit easier.



Organisational systems

Set up your fridge how you want it: In addition to the VarioSafe and the VarioBoxes, we also offer optimal organisation with the variable egg tray and the FlexSystem. Thanks to our bottle shelves and the clip labelling system for your wine inventory, you can also keep track of your beverages.



Lifestyle features

Our butter dish offers space for a wide variety of butter sizes and fits perfectly into all shelves. The easy-to-fill ice cube tray is non-spill. Saving energy made easy: With the Vario energy-saving panel, you can reduce the energy consumption of your NoFrost freezer by up to 30% when not using all drawers.



Consumable accessories

Your fridge includes items that are to be replaced on a regular basis for optimal performance. Water and activated carbon filters can be conveniently purchased from your Liebherr retailer.

BLU Performance

BluPerformance – A new dimension in refrigeration design

High quality materials, meticulous workmanship in every detail, and easy-to-use, precise touch-electronics define the BluPerformance range. The compact integration of cooling technology into the appliance plinth and the use of precision electronic controls has enabled even greater energy efficiency, provided more usable volume, and improved freezer compartment ergonomics. BioFresh and BioCool ensure lasting quality and freshness for stored foods. In addition, these models are quieter than ever, so will not disturb your living environment.

With elegant and timeless design, BluPerformance appliances are a highlight in any kitchen and are guaranteed to be a pleasure to use for many years to come.





User-friendly touch operation



Greater freshness quality







Better energy efficiency



High quality materials





BioFresh: enjoy lasting

With BioFresh technology food keeps fresh for much longer. When stored at a temperature close to 0 °C and at the correct humidity level, many foods retain their nutrients, such as vitamins and minerals, for far longer than in a conventional fridge compartment. With the adjustable temperature range of 0 °C and -2 °C BioFresh-Plus offers even more flexibility. The BioFresh-Plus safe includes a versatile Fish & Seafood-Safe. In it, your fish and seafood are kept fresh for significantly longer in their optimal temperature range of -2 °C.

important for newly purchased and freshly harvested foods to be stored properly so that their nutrients are preserved for longer. The shelf life and freshness of most fruit and vegetables can be significantly extended by storing them in a fridge, particularly in a BioFresh compartment. The vitamin content of fruit and vegetables has been

The perfect climate


With high humidity, the HydroSafe setting offers a perfect storage climate for fruit and vegetables. The drier conditions of the DrySafe setting are ideal for storing meat, fish and dairy products. The moist HydroSafe climate can be changed to a dry DrySafe climate using the humidity slide control.






Find out more about BioFresh: biofresh.liebherr.com/en





Maintenance-free and energy efficient: long-life **LEDs** provide perfect illumination of the interior. LEDs emit very little heat, which ensures that fresh food is always optimally stored. The sophisticated integrated lighting design ensures maximum use of the interior space.



SmartSteel significantly reduces the visibility of fingerprints. The high-quality stainless steel finish makes SmartSteel surfaces particularly easy-to-clean and far more scratch-resistant.



The integrated **SoftSystem** mechanism cushions door closure even when the door shelves are fully stocked; it ensures gentle closing and prevents bottles, jars and packets or food from falling out of the door. The door closes automatically from an opening angle of about 35°. Furthermore, the opening angle of the doors on all BluPerformance models is restricted to 115° to prevent damage to adjacent furniture and to the doors themselves.

Bio Fresh



BioFresh guarantees the perfect climate for extra long freshness. A temperature slightly above 0 °C and ideal air humidity maintain the vitamin and mineral content and appetising appearance of fruit and vegetables, meat, fish and milk products significantly longer than in a standard fridge.

BioFresh-Plus offers even more flexibility for the individual storage of food. The adjustable temperature range of 0 °C and -2 °C keeps various food, such as fruit, vegetables, fish and seafood, as well as meat and dairy products, fresh for significantly longer than in a conventional refrigeration compartment.

The BioFresh-Plus safe includes a versatile **Fish & Seafood-Safe**.



The **NoFrost** system provides rapid, fanassisted, frost-free freezing for the safe, longterm storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost free.



Find out more about NoFrost: nofrost.liebherr.com/en



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party - there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.

The features shown are model dependent; look for these features in your model choice.



Side-by-Side fridge-freezer











SBSes 8486















Energy efficiency class: (A***/A***) 1

Energy consumption year/24 hrs: 244/0.664 kWh ¹

Max. Bordeaux bottles 0.75 l: 48

Total net capacity: 645 litre (Fridge: 519 litre including BioFresh compartment: 132 litre including wine compartment: 153 litre/Freezer compartment: 126 litre) Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel

Exterior dimensions in cm (h/w/d): 185.2/121/66.5 1

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display for fridge, BioFresh, wine and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray · 4 GlassLine storage shelves, of which one is divided into two parts
- · VarioSafe
- · Variable bottle shelf
- · LED ceiling lighting with dimmer function
- LED BioFresh lighting
- LED rear wall lighting
- · 1 BioFresh-Plus with SoftTelescopic for use as Fish & Seafood-Safe or DrySafe
- · 2 BioFresh-Safes with SoftTelescopic, both can be set variably to
- HydroSafe or DrySafe

Freezer compartment ****

- · 5 drawers, of which 2 set on roller tracks
- · IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 1.2 kg
- · Ice cube reservoir 1.8 kg capacity
- · LED lighting
- · Temperature rise time: 24 h
- Freezing capacity in 24 hrs: 16 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Wine compartment

- · 2 separately controllable temperature zones, which can be regulated between +5 °C to +20 °C
- · Tinted insulated glass door with UV protection
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- · Beech wood fittings
- · 4 shelves, of which 4 on telescopic rails and 2 foldable
- · Partially-foldable wooden shelf on telescopic rails
- · LED lighting permanently on, dimmable

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Transport castors at back
- · Door hinge left fixed/right fixed
- · Replaceable door seal
- · Concealed hinge with restricted opening

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level. You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Side-by-Side fridge-freezers











SBSbs 8673
















Energy consumption year/24 hrs: 255/0.696 kWh ¹

Total net capacity: 629 litre (Fridge: 367 litre including BioFresh compartment: 133 litre/Freezer compartment: 262 litre)

Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: BlackSteel with SmartSteel/BlackSteel with SmartSteel

Exterior dimensions in cm (h/w/d): 185/121/66.5 ¹

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display for fridge, BioFresh and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- · VarioSafe
- · Variable bottle shelf
- · LED ceiling lighting with dimmer function
- · LED BioFresh lighting
- · LED rear wall lighting
- · 3 BioFresh-Safes with SoftTelescopic, of which 2 can be set variably to HydroSafe or DrySafe

Freezer compartment ****

- · 9 drawers, of which 6 set on roller tracks, VarioSpace
- · IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 0.8 kg
- · Ice cube reservoir 0.8 kg capacity
- · LED lighting
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 18 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Door hinge left fixed/right fixed
- Replaceable door seal
- · Concealed hinge with restricted opening

SBSes 8663

(121)









Energy efficiency class: (A"'/A" 1

Energy consumption year/24 hrs: 258/0.702 kWh ¹

Total net capacity: 635 litre (Fridge: 367 litre including BioFresh compartment: 133 litre/Freezer compartment: 268 litre)

Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel

Exterior dimensions in cm (h/w/d): 185/121/66.5 1

Controls

- \cdot 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display for fridge, BioFresh and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- VarioSafe
- · Variable bottle shelf
- LED ceiling lighting with dimmer function
- · LED BioFresh lighting
- · LED rear wall lighting
- · 3 BioFresh-Safes with SoftTelescopic, of which 2 can be set variably to HydroSafe or DrySafe

Freezer compartment ****

- · 8 drawers, of which 7 set on roller tracks, VarioSpace
- · LED lighting
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 18 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- Height-adjustable feet at front, transport castors at back · Door hinge left fixed/right fixed
- · Replaceable door seal
- · Concealed hinge with restricted opening

You can find the full range of efficiency classes at page 3. According to (EU) $2017/1369\ 6a$.

26

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

Side-by-Side fridge-freezers









(121**)**

SBSes 8473

Premium


















Energy consumption year/24 hrs: 251/0.686 kWh ¹

 $Total\ net\ capacity:\ 688\ litre\ (Fridge:\ 562\ litre\ including\ BioFresh\ compartment:\ 172\ litre/Freezer\ compartment:\ 126\ litre)$

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel

Exterior dimensions in cm (h/w/d): 185.2/121/66.5 ¹

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- \cdot Digital temperature display for fridge, BioFresh and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- \cdot 5 GlassLine storage shelves, of which one is divided into two parts
- · VarioSafe
- · Bottle shelf
- \cdot LED ceiling lighting with dimmer function
- · 2 BioCool-Boxes on telescopic rails

BioFresh compartments

- \cdot PowerCooling with FreshAir activated charcoal filter
- · 2 GlassLine shelves in the BioFresh compartment
- · LED ceiling lighting with dimmer function
- · 2 BioFresh-Safes with SoftTelescopic set variably to either HydroSafe or DrySafe

Freezer compartment ****

- · 5 drawers, of which 2 set on roller tracks, VarioSpace
- · IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 1.2 kg
- · Ice cube reservoir 1.8 kg capacity
- · LED lighting
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 16 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- · Hardl ine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Door hinge left fixed/right fixed
- · Replaceable door seal
- · Concealed hinge with restricted opening

SBSef 7242







Energy efficiency class: (A**/A**) 1

Energy consumption year/24 hrs: 359/0.982 kWh ¹

Total net capacity: 634 litre (Fridge: 381 litre/Freezer compartment: 253 litre)

Noise output: 43 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 185.2/121/63 ¹

Controls

- · MagicEye behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperCool
- Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- \cdot 7 GlassLine storage shelves, of which one is divided into two parts
- · LED ceiling lighting
- \cdot 2 fruit and vegetable drawers on telescopic rails

Freezer compartment *****

- · 8 drawers, of which 1 herb and berry tray, VarioSpace
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 20 kg
- · Safety glass fittings

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable castors at back
- \cdot Height-adjustable feet at front, transport castors at back
- · Door hinge left fixed/right fixed
- Replaceable door seal

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm and 1.5 cm at BluPerformance-appliances. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



The elegant MagicEye control system with the innovative, user-friendly Touch-electronic feature ensures that the temperature in the fridge compartment and freezer compartment is kept to the selected temperature. All the functions can be simply and conveniently operated at the touch of a finger.



Both BioFresh drawers are mounted on telescopic rails which extend effortlessly providing easy access to and a full view of your food. The lateral **LED lights** ensure perfect illumination of the drawers. The integrated glass shelf and bottle shelf provides dual purpose storage solutions depending on your requirements.



The **IceMaker** with fixed water connection provides you with a constant supply of ice cubes for every occasion. An integrated water filter ensures optimum water quality at all times. The electronic display indicates when the water filter needs replacing. The **NoFrost** technology keeps the freezer constantly frostfree.



The interior features **LED light columns** integrated on either side of the refrigerator, ensuring that the interior is evenly bathed in light to create a unique and dramatic effect within the appliance. The elegant, high quality GlassLine interior is adaptable to suit individual requirements.





CBNes 6256













Energy efficiency class: (A**)

Energy consumption year / 24 hrs: 322 / 0.881 kWh

Total net capacity: 471 litre (Fridge: 357 litre including BioFresh compartment: 68 litre/Freezer compartment: 114 litre)

Noise output: 43 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel/stainless steel

Exterior dimensions in cm (h/w/d): 203.9/91/61.5

Controls

- · MagicEye behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperCool
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge and BioFresh compartments

- PowerCooling
- · Premium GlassLine storage shelf with bottle holder
- · 3 GlassLine storage shelves
- · Variable use bottle trays
- LED light column on both sides and LED ceiling lighting
- LED BioFresh lighting
- · 2 BioFresh-Safes on telescopic rails set variably to either HydroSafe or DrySafe

Freezer compartment ****

- · 2 drawers on telescopic, self-retracting rails
- · IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 1.3 kg · Ice cube reservoir 2.7 kg capacity
- LED lighting
- · Temperature rise time: 45 h
- Freezing capacity in 24 hrs: 11 kg

Key features

- · HardLine
- Aluminium handles
- · Front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Door hinge left fixed/right fixed
- · Replaceable door seal
- · Concealed hinge with restricted opening

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



Our fridge-freezers: an overview

Liebherr's extensive range of fridge-freezers offers the ideal solution for almost everyone - whatever your demands and needs are. Our fridge-freezers offer innovative features such as BioFresh or BioCool and NoFrost or SmartFrost. Once you have made your preferred choice, all of our appliances are available with a variety of fittings and come in various sizes and colours.





Bio Fresh

When stored under BioFresh conditions, at just above 0 °C and at the ideal humidity level, fruit, vegetables, meat, fish and dairy products retain their nutrients, delicate flavour, and appetising appearance for much longer than they do under normal fridge conditions.



BioFresh-Plus offers even more flexibility for the individual storage of food. The adjustable temperature range of 0 °C and -2 °C keeps various food, such as fruit, vegetables, fish and seafood, as well as meat and dairy products, fresh for significantly longer than in a conventional refrigeration compartment.



The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient to use and it ensures that stored food is clearly visible.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.




SmartFrost offers great convenience: the freezer compartment seldom requires defrosting, and the interior and frozen food frost over far less. In addition, the smooth interior walls are easy to clean.





Smart Frost









from page 63



The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.



Find out more about NoFrost:



With the **SmartFrost** technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are smooth and easy to clean. Freezer drawers and glass shelves are made of safety glass and can be removed easily.





BioFresh guarantees the perfect climate for extra long freshness. A temperature slightly above 0 °C and ideal air humidity maintain the vitamin and mineral content and appetising appearance of fruit and vegetables, meat, fish and milk products significantly longer than in a standard fridge.

BioFresh-Plus offers even more flexibility for the individual storage of food. The adjustable temperature range of 0 °C and -2 °C keeps various food, such as fruit, vegetables, fish and seafood, as well as meat and dairy products, fresh for significantly longer than in a conventional refrigeration compartment.

The BioFresh-Plus safe includes a versatile **Fish & Seafood-Safe**.



If the quality of the mains water is poor or there is no plumbed-in connection, the CNef 5725 offers the IceMaker with a water tank supply. With a 1.2 litre capacity and a practical handle, this can be easily removed and filled.



Maintenance-free and energy efficient: long-life **LEDs** provide perfect illumination of the interior. LEDs emit very little heat, which ensures that fresh food is always optimally stored. The sophisticated integrated lighting design ensures maximum use of the interior space.



The **BioCool-Box** allows regulation of the humidity level within the refrigerator compartment so that food keeps fresh for longer. The BioCool-Box is positioned on smooth-running telescopic rails; it is convenient to use andit ensures that stored food is clearly visible. The humidity level in the BioCool-Box is regulated using a slide control.



The clear, minimalist style of **HardLine-Design** lends a real sense of elegance to the appliances. Consistently applied throughout the appliance, internally and externally, this linear design creates a pristine overall appearance.

The features shown are model dependent; look for these features in your model choice.



The sturdy handle with its refined, premiumquality appearance and an integrated opening mechanism ensures easy and effortless opening of the door. The handle perfectly compliments the Hardline door design, and is made from anodised aluminium or white plastic. It can be easily repositioned if the hinge side of the door is changed.

SmartSteel significantly reduces the visibility

of fingerprints. The high-quality stainless steel

finish makes SmartSteel surfaces particularly


easy-to-clean and far more scratch-resistant.



With two independently controlled cooling circuits, **DuoCooling** controls the temperature in fridge-freezers with precision. There is no air exchange between the fridge and freezer compartments, odour transfer is prevented and stored food does not dry out. Also, the refrigeration compartment can be switched off while the freezer compartment continues operating. This can be useful, for example, when going on holiday.



Freezer drawers and toughened glass shelves can be removed. **VarioSpace** - the practical storage solution for larger items.



BluPerformance models have their refrigeration technology compactly integrated in the plinth, minimising operating noise and saving space. Maximum performance thereby comes hand-in-hand with a considerably larger net capacity and greater energy efficiency.

- 1. Power connection for appliance plug 2. Functional wall spacer to maintain wall clearance and allow connection
- 3. Variable speed compressor 4. Plinth fan with noise-damping 5. Condenser 6. Defrost water drain



The **LED BioFresh lighting** is placed at the back of the dividing shelf. Energy-efficient, long-life and maintenance-free LEDs provide perfect illumination for the opened BioFresh drawers and guarantee that the stored food is clearly visible.



The high-resolution, high-contrast **7" TFT display** is integrated into the door and offers individual setting options thanks to an intuitive and user-friendly menu navigation system. Appliances can be adapted to specific customer requirements using preset programmes, thereby ensuring optimal food storage.

The features shown are model dependent; look for these features in your model choice.

Smart Steel



The BioFresh safes with **SoftTelescopic** provide a convenient, self-retracting system with soft closing, making their daily use both practical and secure. The drawers can be fully extended and completely removed, if required, from a door opening angle of 90°.



The high-performance **PowerCooling** system ensures that newly stored produce is quickly cooled and an even temperature is maintained throughout the interior. An electronic door switch turns off the fan when the door is opened, saving energy. The **FreshAir** activated **charcoal filter** that is integrated into the fan purifies circulating air and quickly traps odours.



The **LED rear wall lighting** is integrated at the back of the dividing shelf. Energy-efficient, environmentally friendly and maintenance-free LEDs optimally illuminate the back section of the refrigerator compartment, from top to bottom to completely illuminate the interior and provide a constant, perfectly lit storage environment.



The integrated **SoftSystem** mechanism cushions door closure even when the door shelves are fully stocked; it ensures gentle closing and prevents bottles, jars and packets or food from falling out of the door. The door closes automatically from an opening angle of about 35°. Furthermore, the opening angle of the doors on all BluPerformance models is restricted to 115° to prevent damage to adjacent furniture and to the doors themselves.



The high-resolution, high-contrast **2.4" touchscreen display** is integrated behind the door and enables accurate temperature settings.



Dual purpose storage with the **integrated** glass shelf and bottle shelf. One conveniently stores beneath the other when not in use. When using the bottle shelf, move the door rack upwards to allow the storage of taller bottles.



The automatic **SuperFrost function** makes freezing food simple and energy efficient. It rapidly lowers the temperature to -32 °C to create the coldness levels required to preserve vitamins during freezing. The automatic **SuperCool function** lowers the refrigerator temperature to +2 °C for a defined period of 3, 6, 9 or 12 hours, offering flexibility according to the amount of food stored.

The features shown are model dependent; look for these features in your model choice.

BioFresh NoFrost fridge-freezer



Premium GlassLine door shelves with stainless steel trim. Elegant stainless steel bars help retain taller bottles and jars.



The BioFresh safes with **SoftTelescopic** provide a convenient, self-retracting system with soft closing, making their daily use both practical and secure.



CBNPes 5758













Energy efficiency class: (A***)

Energy consumption year/24 hrs: 157/0.430 kWh ¹

Total net capacity: 381 litre (Fridge: 275 litre including BioFresh compartment: 108 litre/ Freezer compartment: 106 litre)

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel Exterior dimensions in cm (h/w/d): 201/70/66.5 1

Controls

- · 7" TFT-colour display in-the-door, touch electronic
- Digital temperature display for fridge, BioFresh and freezer compartments
- Automatic SuperCool (time restricted)
- Automatic SuperFrost, quantity-
- controlled
- Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray, butter dish
- 3 GlassLine storage shelves, of which one is divided into two parts
- Variable bottle shelf
- LED ceiling lighting with dimmer function
- · LED BioFresh lighting
- · LED rear wall lighting
- · 2 BioFresh-Safes with SoftTelescopic set variably to either HydroSafe or

Freezer compartment ****

- · 3 drawers, of which 2 set on roller tracks, VarioSpace
- · Ice cube tray
- · LED lighting
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 16 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features · HardLine

- · Aluminium handles with integrated
 - opening mechanism · Versatile installation due to front
 - ventilation
 - · Transport handles, front and at back
 - · Height-adjustable feet at front. transport castors at back
 - · Reversible door hinging
 - · Replaceable door seal

· Concealed hinge with restricted

the individual storage of food. The adjustable temperature range of 0 °C and -2 °C keeps various food, such as fruit, vegetables, fish and seafood, as well as meat and dairy products, fresh for significantly longer than in a conventional refrigeration compartment. The BioFresh-Plus safe includes a versatile Fish & Seafood-Safe.

BioFresh-Plus offers even more flexibility for

BioFresh-Plus NoFrost fridge-freezer



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party - there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.







CBNPes 4878















Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 148/0.403 kWh ¹

Total net capacity: 338 litre (Fridge: 240 litre including BioFresh compartment: 94 litre/ Freezer compartment: 98 litre)

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel

Exterior dimensions in cm (h/w/d): 201/60/66.5 1

Controls

- · 7" TFT-colour display in-the-door, touch electronic
- Digital temperature display for fridge, BioFresh and freezer compartments
- · Automatic SuperCool (time restricted)
- Automatic SuperFrost, quantitycontrolled
- Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- · 3 GlassLine storage shelves, of which one is divided into two parts
- · Variable bottle shelf
- · LED lighting
- · LED BioFresh lighting
- · LED rear wall lighting
- · BioFresh-Plus with Fish & Seafood-Safe
- · 2 BioFresh-Safes with SoftTelescopic set variably to either HydroSafe or DrySafe

Freezer compartment ****

- · 4 drawers, of which 1 set on roller tracks, VarioSpace
- · IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 1.2 kg
- · Ice cube reservoir 1.8 kg capacity
- · LED lighting
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 16 kg · 2 Cold storage accumulators
- Safety glass fittings

Key features

· HardLine

- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening

43

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



BioFresh NoFrost fridge-freezers





CBNPbs 4858





















Energy efficiency class: (A***) 1



Energy consumption year/24 hrs: 149/0.408 kWh ¹









Energy efficiency class: A 1

Energy consumption year/24 hrs: 149/0.408 kWh ¹

Total net capacity: 344 litre (Fridge: 243 litre including BioFresh compartment: 97 litre/ Freezer compartment: 101 litre)

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: BlackSteel with SmartSteel/BlackSteel with SmartSteel Exterior dimensions in cm (h/w/d): 201/60/66.5 1

Total net capacity: 344 litre (Fridge: 243 litre including BioFresh compartment: 97 litre/ Freezer compartment: 101 litre)

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel Exterior dimensions in cm (h/w/d): 201/60/66.5 1

Controls

- · 7" TFT-colour display in-the-door, touch electronic
- · Digital temperature display for fridge, BioFresh and freezer compartments
- Automatic SuperCool (time restricted)
- · Automatic SuperFrost, quantitycontrolled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- · 3 GlassLine storage shelves, of which one is divided into two parts · Variable bottle shelf
- · LED ceiling lighting with dimmer function
- LED BioFresh lighting
- · LED rear wall lighting
- · 2 BioFresh-Safes with SoftTelescopic set variably to either HydroSafe or DrySafe

Freezer compartment ****

- · 3 drawers, of which 2 set on roller tracks, VarioSpace
- · Ice cube tray
- · LED lighting
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 16 kg
- · 2 Cold storage accumulators · Safety glass fittings
- Key features

· HardLine

- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- · Replaceable door seal · Concealed hinge with restricted

Controls

- · 7" TFT-colour display in-the-door, touch electronic
- · Digital temperature display for fridge, BioFresh and freezer compartments
 - Automatic SuperCool (time restricted)
 - Automatic SuperFrost, quantity-
 - controlled
 - · Warning signal in case of fault: visual
 - and acoustic
 - · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with
- bottle holder, VarioBoxes, Egg tray · 3 GlassLine storage shelves, of which one is divided into two parts
- · Variable bottle shelf
- · LED ceiling lighting with dimmer function
- · LED BioFresh lighting
- · LED rear wall lighting
- · 2 BioFresh-Safes with SoftTelescopic set variably to either HydroSafe or DrySafe

Freezer compartment ****

- · 3 drawers, of which 2 set on roller tracks, VarioSpace
- · Ice cube tray
- · LED lighting
- · Temperature rise time: 24 h
- Freezing capacity in 24 hrs: 16 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front. transport castors at back
- · Reversible door hinging
- Replaceable door seal
- · Concealed hinge with restricted

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level. You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



The **BioCool-Box** allows regulation of the humidity level within the refrigerator compartment so that food keeps fresh for longer. The BioCool-Box is positioned on smooth-running telescopic rails; it is convenient to use and it ensures that stored food is clear visibility. The humidity level in the BioCool-Box is regulated using a slide control.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by **DuoCooling**: two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.



To replace a refrigerator where there is no plumbed-in connection, the CNef 5725 offers the IceMaker with a water tank supply. With a 1.2 litre capacity and a practical handle, this can be easily removed and filled.



The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, longterm storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.





(70)





(70)

CNef 5725





















Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 182/0.496 kWh 1

Total net capacity: 397 litre (Fridge: 294 litre/Freezer compartment: 103 litre) Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 201/70/66.5

Energy efficiency class: (A***)

Energy consumption year/24 hrs: 183/0.501 kWh ¹

Total net capacity: 402 litre (Fridge: 296 litre / Freezer compartment: 106 litre) Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 201/70/66.5

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 5 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- 1 BioCool-Box on telescopic rails

Freezer compartment ****

- · 3 drawers, VarioSpace
- · IceMaker with water tank
- · Ice cube production in 24 hrs: 1.2 kg
- · Ice cube reservoir 2.2 kg capacity
- · Ice cube tray
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 16 kg
- · Safety glass fittings

Key features · HardLine

- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front.
- transport castors at back Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge
- and freezer compartments Automatic SuperCool (time restricted)
- Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual
- · Door alarm: visual and acoustic

Fridge compartment

and acoustic

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 5 GlassLine storage shelves, of
- which one is divided into two parts Bottle shelf
- · LED ceiling lighting
- · 1 BioCool-Box on telescopic rails

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 24 h
- Freezing capacity in 24 hrs: 16 kg
- · Safety glass fittings

Key features

· Hardl ine

- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted

The features shown are model dependent; look for these features in your model choice.

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level. You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.
















(60)



Energy consumption year/24 hrs: 263/0.718 kWh ¹

Total net capacity: 340 litre (Fridge: 221 litre/Freezer compartment: 119 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: BlackSteel with SmartSteel/BlackSteel with SmartSteel

Exterior dimensions in cm (h/w/d): 201.1/60/62.5 1

Controls

CNef 4015

Energy efficiency class: (A**) 1

Climate rating: SN-T (+10 °C to +43 °C)

Noise output: 39 dB(A)

· 2.4" TFT-monochrome display behind-the-door, touch electronic

Total net capacity: 356 litre (Fridge: 269 litre/Freezer compartment: 87 litre)

- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperCool (time restricted)
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic

Energy consumption year/24 hrs: 252/0.688 kWh ¹

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 201.1/60/62.5 1

· Door alarm: visual and acoustic

Fridge compartment

- PowerCooling
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 5 GlassLine storage shelves, of which one is divided into two parts
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks

Freezer compartment ****

- · 3 drawers. VarioSpace
- · Ice cube tray
- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- · Replaceable door seal

Controls

CNbs 3915

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- Automatic SuperCool (time restricted)
- Automatic SuperFrost, time-controlled
- Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartment

- PowerCooling
- Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts Bottle shelf
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks

Freezer compartment ****

- · 4 drawers. VarioSpace
- · Ice cube tray
- · Temperature rise time: 18 h
- Freezing capacity in 24 hrs: 11 kg
- Safety glass fittings

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- Versatile installation due to front ventilation
- Transport handles, front and at back
- Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- · Replaceable door seal













(60)

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 263/0.718 kWh ¹

Total net capacity: 340 litre (Fridge: 221 litre/Freezer compartment: 119 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 201.1/60/62.5 1

CN 3915







(60)

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 263/0.718 kWh ¹

Total net capacity: 340 litre (Fridge: 221 litre/Freezer compartment: 119 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 201.1/60/62.5 1

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- Automatic SuperCool (time restricted)
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartment

- PowerCooling
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks

Freezer compartment ****

- · 4 drawers. VarioSpace
- · Ice cube tray
- Temperature rise time: 18 h
- Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

Key features

- · HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- · Replaceable door seal

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- Automatic SuperCool (time restricted)
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartment

- PowerCooling
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks

Freezer compartment ****

- · 4 drawers. VarioSpace
- · Ice cube tray
- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

Key features

- HardLine
- · Slimline handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back Reversible door hinging
- · Replaceable door seal

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.











CNef 3535













(60)



















(60)



Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 236/0.645 kWh ¹

Total net capacity: 305 litre (Fridge: 218 litre/Freezer compartment: 87 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 181.7/60/62.5 ¹

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 237/0.648 kWh ¹

Total net capacity: 308 litre (Fridge: 221 litre/Freezer compartment: 87 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 181.7/60/62.5 1

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- Automatic SuperCool (time restricted)
- Automatic SuperFrost, time-controlled · Warning signal in case of fault: visual
- · Door alarm: visual and acoustic

Fridge compartment

· PowerCooling

and acoustic

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks
- · Water dispenser in the door

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray

50

- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

Key features

- HardLine
- · Aluminium handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front,
- transport castors at back
- · Reversible door hinging
- Replaceable door seal
- · 4.7-litre water tank with Brita filter

Controls

- PowerCooling
- bottle holder, Egg tray
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube trav
- Freezing capacity in 24 hrs: 11 kg
- Safety glass fittings

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- Automatic SuperCool (time restricted)
- Automatic SuperFrost, time-controlled
- Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartment

- Comfort GlassLine storage shelf with
- 4 GlassLine storage shelves, of which one is divided into two parts
- Bottle shelf
- roller tracks

- · Temperature rise time: 18 h

Key features

- HardLine
 - · Aluminium handles with integrated
 - opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front,
- transport castors at back
- · Reversible door hinging
- · Replaceable door seal

Colour/material options:

CN 3515 in white

CNef 3115



Energy consumption year/24 hrs: 222/0.608 kWh ¹

Total net capacity: 260 litre (Fridge: 173 litre/Freezer compartment: 87 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 162.3/60/62.5 1

(60)


- · Digital temperature display for fridge
- Automatic SuperFrost, time-controlled
- and acoustic

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- which one is divided into two parts
- · LED ceiling lighting
- · 2 fruit and vegetable drawers on roller tracks

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- Freezing capacity in 24 hrs: 11 kg





Energy consumption year/24 hrs: 222/0.608 kWh ¹

Total net capacity: 260 litre (Fridge: 173 litre/Freezer compartment: 87 litre) Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white Exterior dimensions in cm (h/w/d): 162.3/60/62.5 1

- Controls · 2.4" TFT-monochrome display
- behind-the-door, touch electronic
- and freezer compartments
- Automatic SuperCool (time restricted)
- · Warning signal in case of fault: visual

Door alarm: visual and acoustic

- Fridge compartment
- PowerCooling
- · 3 GlassLine storage shelves, of

- Temperature rise time: 18 h
- · Safety glass fittings

- Key features HardLine
- · Aluminium handles with integrated opening mechanism · Versatile installation due to front
- ventilation
- · Height-adjustable feet at front,
- · Replaceable door seal
- transport castors at back

- · Transport handles, front and at back · Warning signal in case of fault: visual
- Reversible door hinging
- Controls
- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge
- and freezer compartments
- Automatic SuperCool (time restricted) Automatic SuperFrost, time-controlled
 - and acoustic

· Door alarm: visual and acoustic

- Fridge compartment
- · PowerCooling · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 3 GlassLine storage shelves, of which one is divided into two parts
- · LED ceiling lighting · 2 fruit and vegetable drawers on

Freezer compartment ****

· 3 drawers, VarioSpace


roller tracks

- · Ice cube tray
- · Temperature rise time: 18 h · Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

- Key features
- HardLine · Slimline handles with integrated
- opening mechanism · Versatile installation due to front
- ventilation · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging Replaceable door seal

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.





CNst 4813







Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 250/0.684 kWh ¹

Total net capacity: 338 litre (Fridge: 243 litre/Freezer compartment: 95 litre)

Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C) Door/side walls: StickerArt/silver

Exterior dimensions in cm (h/w/d): 201.1/60/65.7 1

This appliance is not available in United Kingdom

Controls

- · MagicEye behind-the-door, key electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- · PowerCooling
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 9 kg

Key features

- HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal

CNel 4813









460**▶**

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 250/0.684 kWh ¹

Total net capacity: 338 litre (Fridge: 243 litre/Freezer compartment: 95 litre)

Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel look/silver

Exterior dimensions in cm (h/w/d): 201.1/60/65.5 1

Controls

- · MagicEye behind-the-door, key electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 9 kg

Key features

- · HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal

Colour/material options: **CN 4813** in white

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.







(60)



CNbe 4313

Energy efficiency class: (A**) 1

Door/side walls: beige/beige

Climate rating: SN-T (+10 °C to +43 °C)

Noise output: 42 dB(A)

· Door alarm: acoustic

Fridge compartment

· LED ceiling lighting

· 3 drawers, VarioSpace

· Plastic door shelves, Egg tray

· 4 GlassLine storage shelves

Freezer compartment ****

· Temperature rise time: 26 h

· Vertical recessed handles

· Transport handles at back

· Reversible door hinging

· Replaceable door seal

· Height-adjustable feet at front

· Freezing capacity in 24 hrs: 9 kg

· Versatile installation due to front ventilation

· 1 spacious fruit and vegetable drawer

PowerCooling

· Bottle shelf

· Ice cube tray

Key features

HardLine

Controls

Energy consumption year/24 hrs: 232/0.635 kWh ¹

Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

This appliance is not available in United Kingdom

· Warning signal in case of fault: visual and acoustic

· Digital temperature display for fridge and freezer compartments

· MagicEye behind-the-door, key electronic

· Automatic SuperFrost, time-controlled

Total net capacity: 304 litre (Fridge: 209 litre/Freezer compartment: 95 litre)



(60)

CN 4713







(60)

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 264/0.721 kWh ¹

Total net capacity: 328 litre (Fridge: 199 litre/Freezer compartment: 129 litre)

Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 201.1/60/65.5 1

CNel 4213















Energy consumption year/24 hrs: 253/0.692 kWh ¹

Noise output: 42 dB(A)

Door/side walls: Stainless steel look/silver

Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

Controls

- · MagicEye behind-the-door, key electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- · PowerCooling
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 4 drawers. VarioSpace
- · Ice cube tray
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 8 kg

Key features

- · HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal

Controls

- · MagicEye behind-the-door, key electronic
- · Digital temperature display for fridge and freezer compartments
- Automatic SuperFrost, time-controlled
- Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- PowerCooling
- Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · Bottle shelf
- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 4 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 8 kg

Kev features

- · HardLine
- · Vertical recessed handles
- Versatile installation due to front ventilation
- Transport handles at back
- Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal

Colour/material options:

CN 4213 in white

(60)

Total net capacity: 294 litre (Fridge: 165 litre/Freezer compartment: 129 litre)

Climate rating: SN-T (+10 °C to +43 °C)

Controls

· MagicEye behind-the-door, key electronic

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel look/silver

- · Digital temperature display for fridge and freezer compartments
- Automatic SuperFrost, time-controlled

CNel 4313

Energy efficiency class: (A**) 1

Noise output: 42 dB(A)

· Warning signal in case of fault: visual and acoustic

Energy consumption year/24 hrs: 240/0.655 kWh ¹

Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

Total net capacity: 304 litre (Fridge: 209 litre/Freezer compartment: 95 litre)

· Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 9 kg

Kev features

- · HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal

Colour/material options: **CN 4313** in white

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

54

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



CNno 4313

The same of the sa makes and the property of the first first from the pro-

CNno 4313















Energy efficiency class: (A**) 1

Freezer compartment: 95 litre)

Noise output: 41 dB(A)



Energy consumption year/24 hrs: 240/0.655 kWh ¹

Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

Total net capacity: 304 litre (Fridge: 209 litre/

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: KiwiGreen/KiwiGreen









Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 240/0.655 kWh ¹

Total net capacity: 304 litre (Fridge: 209 litre/ Freezer compartment: 95 litre)

Noise output: 41 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: FrozenBlue/FrozenBlue

Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 240/0.655 kWh ¹

Total net capacity: 304 litre (Fridge: 209 litre/ Freezer compartment: 95 litre)

Noise output: 41 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: NeonOrange/NeonOrange Exterior dimensions in cm (h/w/d): 186.1/60/65.5 1

- · MagicEye behind-the-door, key electronic
- Digital temperature display for fridge and freezer compartments
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- PowerCooling
- Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf

Controls

- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 9 kg

Key features

- HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- Transport handles at back · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal

Controls

- · MagicEye behind-the-door, key electronic
- Digital temperature display for fridge and freezer compartments
- Automatic SuperFrost, time-controlled
- Warning signal in case of fault: visual and acoustic
- Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers. VarioSpace
- · Ice cube tray
- Temperature rise time: 26 h
- Freezing capacity in 24 hrs: 9 kg

Key features

- · HardLine
- · Vertical recessed handles
- · Versatile installation due to front ventilation
- Transport handles at back
- Height-adjustable feet at front
- Reversible door hinging
- HardLine

- Replaceable door seal

Controls

- · MagicEye behind-the-door, key electronic
- · Digital temperature display for fridge and freezer compartments
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic · Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Plastic door shelves, Egg tray · 4 GlassLine storage shelves
- · Bottle shelf
- · LED ceiling lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 9 kg

Key features

- · Vertical recessed handles
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front Reversible door hinging
- Replaceable door seal



CUef 3331

Energy efficiency class: (A**) 1

Freezer compartment: 84 litre)

Noise output: 39 dB(A)



Energy consumption year/24 hrs: 211/0.576 kWh ¹

Total net capacity: 296 litre (Fridge: 212 litre/

Climate rating: SN-ST (+10 °C to +38 °C)





CUel 3331











Energy efficiency class: (A**) 1

Total net capacity: 296 litre (Fridge: 212 litre/

Freezer compartment: 84 litre) Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Stainless steel with SmartSteel/silver Exterior dimensions in cm (h/w/d): 181.2/55/63 1

This appliance is not available in United Kingdom

Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 211/0.576 kWh ¹

Door/side walls: Stainless steel look/silver

Exterior dimensions in cm (h/w/d): 181.2/55/63 1

Energy consumption year/24 hrs: 211/0.576 kWh 1

Total net capacity: 296 litre (Fridge: 212 litre/

Freezer compartment: 84 litre)

Noise output: 39 dB(A)

CU 3331

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 181.2/55/63 1

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 3 drawers. VarioSpace
- · Ice cube trav
- · Temperature rise time: 27 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles

58

- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 3 drawers. VarioSpace
- · Ice cube trav
- · Temperature rise time: 27 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 3 drawers. VarioSpace
- · Ice cube trav
- · Temperature rise time: 27 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwinaLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front · Reversible door hinging

CUel 2831











Energy consumption year/24 hrs: 192/0.525 kWh 1

Freezer compartment: 53 litre)

Exterior dimensions in cm (h/w/d): 161.2/55/63 1

Energy efficiency class: (A**) 1

Total net capacity: 265 litre (Fridge: 212 litre/

- Controls · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers. VarioSpace
- · Ice cube trav
- Temperature rise time: 25 h
- Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front · Reversible door hinging

CU 2831

Noise output: 39 dB(A)

Door/side walls: Stainless steel look/silver

Climate rating: SN-ST (+10 °C to +38 °C)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white Exterior dimensions in cm (h/w/d): 161.2/55/63 1

- Controls
- · Mechanical control in interior, control dial

Energy efficiency class: (A**) 1

Freezer compartment: 53 litre)

Noise output: 39 dB(A)

Energy consumption year/24 hrs: 192/0.525 kWh ¹

Total net capacity: 265 litre (Fridge: 212 litre/

Individually regulated cooling circuits: 1 CoolPlus function

- Fridge compartment
- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers, VarioSpace
- · Ice cube trav
- Temperature rise time: 25 h
- Freezing capacity in 24 hrs: 4 kg
- Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- Height-adjustable feet at front Reversible door hinging

Versatile installation due to front ventilation

CUel 2331





Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 176/0.481 kWh ¹

Total net capacity: 209 litre (Fridge: 156 litre/ Freezer compartment: 53 litre)

Noise output: 39 dB(A) Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Stainless steel look/silver Exterior dimensions in cm (h/w/d): 137.2/55/63 1

- Controls · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · LED lighting · 2 fruit and vegetable drawers
- Freezer compartment ****
- · 2 drawers, VarioSpace
- · Temperature rise time: 25 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Kev features

· Ice cube tray

- · SwingLine design
- · Recessed handles · Versatile installation due to front ventilation
- · Height-adjustable feet at front · Reversible door hinging

Colour/material options:

CU 2331 in white

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

SmartFrost fridge-freezers







(55**)**

CUno 2831







(55**)**

CUkw 2831





ur

(55)





A++ Co

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 192/0.525 kWh ¹
Total net capacity: 265 litre (Fridge: 212 litre/

Freezer compartment: 53 litre)

Noise output: 39 dB(A) Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: NeonOrange/NeonOrange

Exterior dimensions in cm (h/w/d): 161.2/55/63 1

Energy efficiency class: (A**) 1
Energy consumption year/24 hrs: 192/0.525 kWh 1

Total net capacity: 265 litre (Fridge: 212 litre/

Freezer compartment: 53 litre)

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 $^{\circ}\text{C}$ to +38 $^{\circ}\text{C})$

Door/side walls: KiwiGreen/KiwiGreen
Exterior dimensions in cm (h/w/d): 161.2/55/63 ¹

Energy efficiency class: (A**) 1
Energy consumption year/24 hrs: 192/0.525 kWh 1

Total net capacity: 265 litre (Fridge: 212 litre/

Freezer compartment: 53 litre)

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: FrozenBlue/FrozenBlue

Exterior dimensions in cm (h/w/d): 161.2/55/63 ¹

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers. VarioSpace
- · Ice cube trav
- Temperature rise time: 25 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

CUfb 2831

CUkw 2831

CUno 2831

Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment *****

- · 2 drawers. VarioSpace
- · Ice cube trav
- · Temperature rise time: 25 h
- Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- \cdot 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers, VarioSpace
- · Ice cube tray
- · Temperature rise time: 25 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.





Accurate and independent temperature control of the fridge and freezer compartments is facilitated by **DuoCooling**: two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.



(60)













Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 223/0.610 kWh ¹

Total net capacity: 306 litre (Fridge: 246 litre/Freezer compartment: 60 litre) Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver Exterior dimensions in cm (h/w/d): 191.1/60/63 1





The MagicEye control keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.

CTNesf 3663

Controls

- · MagicEye behind-the-door, key electronic
- · LED temperature display for fridge and freezer compartments
- · Individually regulated cooling circuits: 2
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Fridge compartment

- PowerCooling
- · Premium GlassLine storage shelf with bottle holder, Egg tray
- · 5 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED lighting
- · 1 spacious fruit and vegetable drawer on roller tracks

Freezer compartment ****

- · Ice cube tray
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 8 kg
- · Safety glass fittings

Key features

- · Stainless steel slimline handles with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.











CT 2931



Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 202/0.551 kWh ¹

Total net capacity: 270 litre (Fridge: 218 litre/Freezer compartment: 52 litre)

(55)

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 157.1/55/63 1

CTel 2531







(55)





Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 187/0.512 kWh ¹

Total net capacity: 233 litre (Fridge: 189 litre/Freezer compartment: 44 litre)

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel look/silver

Exterior dimensions in cm (h/w/d): 140.1/55/63 1

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves, Egg tray
- · 4 GlassLine storage shelves
- · LED lighting
- \cdot 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube trav
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

64

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube trav
- Temperature rise time: 22 h
- Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

CT 2531





Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 187/0.512 kWh ¹

Total net capacity: 233 litre (Fridge: 189 litre/

Freezer compartment: 44 litre)

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 140.1/55/63 1

CTel 2131

455▶



Total net capacity: 196 litre (Fridge: 152 litre/

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel look/silver

Energy consumption year/24 hrs: 176/0.481 kWh ¹

Exterior dimensions in cm (h/w/d): 124.1/55/63 1





(55)

Total net capacity: 196 litre (Fridge: 152 litre/

Freezer compartment: 44 litre)

Noise output: 39 dB(A)

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube trav
- Temperature rise time: 22 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Height-adjustable feet at front
- · Reversible door hinging

- Controls · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1

Energy efficiency class: (A**) 1

Freezer compartment: 44 litre)

Noise output: 39 dB(A)

Fridge compartment

- · Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube trav
- Temperature rise time: 22 h
- Freezing capacity in 24 hrs: 4 kg
- Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- Reversible door hinging

CT 2131



Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 176/0.481 kWh ¹

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 124.1/55/63 1

Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves, Egg tray
- · 3 GlassLine storage shelves
- · LED lighting
- \cdot 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube trav
- · Temperature rise time: 22 h
- · Freezing capacity in 24 hrs: 4 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



Our fridges: an overview

Liebherr fridges excel with their impressive freshness technology. The range on offer extends from models featuring a classic vegetable compartment, to BioCool models with an adjustable humidity compartment, all the way to BioFresh appliances, which deliver the longest-lasting freshness. Whatever you're looking for, you're sure to find just the right fridge to meet your needs and requirements within Liebherr's comprehensive range – be it an upright or under counter appliance.

Bio Fresh In the BioFresh compartments food retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge. Through its advanced technology the temperature is accurately maintained at around 0 °C.

Bio Cool The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.

Fridges



from page 7



from page 76



from page 7

Under counter fridges



from page 84



The fresher your food, the better it is for a healthy diet. **BioFresh safes**, sited on telescopic rails, guarantee the perfect environment for greater freshness. When stored at a temperature of just over 0 °C and at just the right humidity level, fruit and vegetables, fish, meat and dairy products all retain their vitamins, delicate flavours and appetising appearance for far longer than in a conventional fridge compartment.



The **BioCool-Box** allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. The BioCool-Box is positioned on smooth-running telescopic rails; it is convenient to use and it ensures that stored food is clear visibility. The humidity level in the BioCool-Box is regulated using a slider.

The features shown are model dependent; look for these features in your model choice.



The high-performance **PowerCooling** system ensures that newly stored produce is quickly cooled and an even temperature is maintained throughout the interior. An electronic door switch turns off the fan when the door is opened, saving energy. The **FreshAir** activated **charcoal filter** that is integrated into the fan purifies circulating air and quickly traps odours.



The integrated **SoftSystem** mechanism cushions door closure even when the door shelves are fully stocked; it ensures gentle closing and prevents bottles, jars and packets or food from falling out of the door. The door closes automatically from an opening angle of about 35°. Furthermore, the opening angle of the doors on all BluPerformance models is restricted to 115° to prevent damage to adjacent furniture and to the doors themselves.



The high-resolution, high-contrast **2.4" touchscreen display** is integrated behind the door and enables intuitive temperature setting.



Maintenance-free and energy efficient: long-life **LEDs** provide perfect illumination of the interior. LEDs emit very little heat, which ensures that fresh food is always optimally stored. The sophisticated integrated lighting design ensures maximum use of the interior space.



The **LED rear wall lighting** is integrated into the rear section of the horizontal dividing shelf. Energy-efficient, environmentally friendly and maintenance-free LEDs optimally illuminate the back section of the fridge compartment, from top to bottom and provide high-quality illumination.

The **versatile bottle shelf** is an innovative feature in all BioFresh Premium models. It can be positioned above or below the glass shelf to suite individual requirements.



The clear, minimalist style of **HardLine-Design** lends a real sense of elegance to the appliances. Consistently applied throughout the appliance, internally and externally, this linear design creates a pristine overall appearance.



The distinctive **GlassLine** interior conveys build and finish quality. The shelves are made of safety glass. The split, slide-under glass shelf can be located at different heights as required.



SmartSteel significantly reduces the visibility of fingerprints. The high-quality stainless steel finish makes SmartSteel surfaces particularly easy-to-clean and far more scratch-resistant.



The BioFresh safes with **SoftTelescopic** provide a convenient, self-retracting system with soft closing, making their daily use both practical and secure.

The features shown are model dependent; look for these features in your model choice.



The fresher your food, the better it is for a healthy diet. BioFresh safes, sited on telescopic rails, guarantee the perfect environment for greater freshness. When stored at a temperature of just over 0 °C and at just the right humidity level, fruit and vegetables, fish, meat and dairy products all retain their vitamins, delicate flavours and appetising appearance for far longer than in a conventional fridge compartment.



The useful **VarioSafe** makes it easy to view and organise a variety of stored items: it is the ideal place to store smaller packets, tubes and glass jars. The VarioSafe can also be inserted at a diff erent height to accomodate different containers.









KBes 4350

















Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 90/0.244 kWh ¹

Total net capacity: 367 litre (Fridge: 367 litre including BioFresh compartment: 133 litre) Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/Stainless steel with SmartSteel Exterior dimensions in cm (h/w/d): 185/60/66.5 1

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- Digital temperature display for fridge and BioFresh compartments
- Automatic SuperCool (time restricted)
- Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, VarioBoxes, Egg tray
- · 4 GlassLine storage shelves, of which one is divided into two parts
- VarioSafe
- · Variable bottle shelf
- · LED ceiling lighting with dimmer function
- · LED BioFresh lighting
- · LED rear wall lighting
- · 3 BioFresh-Safes with SoftTelescopic, of which 2 can be set variably to HydroSafe or DrySafe

Key features

- · HardLine
- · Aluminium handle with integrated opening mechanism
- Versatile installation due to front ventilation
- · Transport handles at back
- Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

KBef 4310







(60)

Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 90/0.244 kWh ¹

Total net capacity: 366 litre (Fridge: 366 litre including BioFresh compartment: 133 litre) Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 185/60/66.5 1

KB 4310





Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 90/0.244 kWh ¹

Total net capacity: 366 litre (Fridge: 366 litre including BioFresh compartment: 133 litre) Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 185/60/66.5 1

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and BioFresh compartments
- · Automatic SuperCool (time restricted)
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 5 GlassLine storage shelves, of which one is divided into two parts
- Integrated bottle shelf
- · LED ceiling lighting
- · 3 BioFresh-Safes on telescopic rails, of which 2 can be set variably to HydroSafe or DrySafe

Kev features

- · Hardl ine
- · Aluminium handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- Replaceable door seal
- · Concealed hinge with restricted opening

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and BioFresh compartments
- · Automatic SuperCool (time restricted)
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 5 GlassLine storage shelves, of which one is divided into two parts
- · Integrated bottle shelf
- · LED ceiling lighting
- · 3 BioFresh-Safes on telescopic rails, of which 2 can be set variably to HydroSafe or DrySafe

Key features

- · Hardl ine
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



The **BioCool-Box** allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. The BioCool-Box is positioned on smooth-running telescopic rails; it is convenient to use and it ensures that stored food is clearly visible. The humidity level in the BioCool-Box is regulated using a slide control.



The high-performance **PowerCooling** system ensures that newly stored produce is quickly cooled and an even temperature is maintained throughout the interior. An electronic door switch turns off the fan when the door is opened, saving energy. The FreshAir activated **charcoal filter** that is integrated into the fan purifies circulating air and quickly traps odours.















(60)

Kef 4310









Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 78/0.212 kWh ¹

Total net capacity: 390 litre

Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Stainless steel with SmartSteel/silver

Exterior dimensions in cm (h/w/d): 185/60/66.5 1

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display
- Automatic SuperCool (time restricted)
- Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Comfort GlassLine storage shelf with bottle holder, Egg tray
- 6 GlassLine storage shelves, of which one is divided into two parts
- · LED ceiling lighting
- · 2 BioCool-Boxes on telescopic rails

Key features

- HardLine
- · Aluminium handle with integrated opening mechanism
- Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- Replaceable door seal
- · Concealed hinge with restricted opening

Colour/material options:

K 4310 in white

K 3710





Energy efficiency class: A 1

Energy consumption year/24 hrs: 75/0.204 kWh ¹

Total net capacity: 342 litre

Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 165/60/66.5 1

Ksl 3130



Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 109/0.296 kWh ¹

Total net capacity: 297 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: silver/silver

Exterior dimensions in cm (h/w/d): 144.7/60/63 1

Controls

- · 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display
- · Automatic SuperCool (time restricted)
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 6 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- · 1 BioCool-Box on telescopic rails

Key features

- HardLine
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening

Colour/material options:

Kef 3710 with Stainless steel front

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperCool

Fridge compartment

- · PowerCooling
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 6 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Key features

- · SwingLine design
- Stainless steel slimline handle with integrated opening mechanism

77

- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

Colour/material options:

K 3130 in white

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm and 1.5 cm at BluPerformance-appliances. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



The **4-star freezer** compartment is designed to freeze fresh food and store it for long periods. Temperatures of -18 °C and lower ensure that nutritional content is preserved during storage.



The **bottle shelf** is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.



(55)







(55)

K 2814

 A^{++}

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 178/0.485 kWh ¹

Total net capacity: 250 litre (Fridge: 229 litre/Freezer compartment: 21 litre)

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 140.2/55/63 1

Controls

- · Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 5 GlassLine storage shelves, of which one is divided into two parts
- Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · Ice cube trav
- · Temperature rise time: 15 h
- Freezing capacity in 24 hrs: 2 kg

Key features

- · SwingLine design
- · Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging

Colour/material options:

Ksl 2814 in silver

Ksl 2630





Energy efficiency class: A++ 1

Energy consumption year/24 hrs: 104/0.283 kWh ¹

Total net capacity: 248 litre Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: silver/silver

Exterior dimensions in cm (h/w/d): 125/60/63 1

K 2630

460**)**

Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 104/0.283 kWh ¹

 A^{++}

Total net capacity: 248 litre Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 125/60/63 1

K 2330

(60)



Energy efficiency class: (A*)

Total net capacity: 213 litre

Exterior dimensions in cm (h/w/d): 117.5/55/63

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperCool

Fridge compartment

- · PowerCooling
- · Comfort GlassLine storage shelf with bottle holder,
- · 5 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Key features

- · SwingLine design
- · Stainless steel slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

Controls

- MagicEye on front, key electronic
- Graphic temperature display
- Automatic SuperCool

Fridge compartment

- · PowerCooling
- Comfort GlassLine storage shelf with bottle holder,
- · 5 GlassLine storage shelves, of which one is divided into two parts
- Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Key features

- SwingLine design
- Slimline handle with integrated opening mechanism
- Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging



Energy consumption year/24 hrs: 126/0.344 kWh

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Controls

· Mechanical control in interior, control dial

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder,
- · 5 GlassLine storage shelves, of which one is divided into two parts
- · Bottle shelf
- · LED lighting
- · 2 fruit and vegetable drawers

Key features

- · SwingLine design
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level. You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.





The elegant and precise **MagicEye** control with its digital temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic **SuperCool** function lowers the refrigerator temperature to +2 °C. It is perfect for quickly cooling freshly stored food.



You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18 °C and lower ensure food is stored with all the vital vitamins and minerals preserved.



The distinctive **GlassLine** interior conveys build and finish quality. The shelves are made of safety glass. The split, slide-under glass shelf can be located at different heights as required.



The **slimline door handle** is discrete and ergonomically designed for ease of opening. Under counter fridges with manual controls can be further reduced in height by **removing the tabletop** of the fridge.



Ergonomically designed, the extra deep transparent **vegetable compartments** are easy-to-clean and provide ample storage for fruit and vegetables.



Premium GlassLine door shelves with stainless steel trim. Elegant stainless steel bars help protect taller bottles and jars.

The features shown are model dependent; look for these features in your model choice.













(60)

TP 1764



Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 99/0.270 kWh ¹ Total net capacity: 136 litre (Fridge: 118 litre/

Freezer compartment: 18 litre)

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/60.1/62.8 1

TP 1760

60



Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 64/0.173 kWh ¹

Total net capacity: 154 litre

Noise output: 35 dB(A)

Climate rating: SN-T (+10 °C to +43 °C) Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/60.1/62.8 1

TP 1724



(60)

Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 98/0.266 kWh ¹

Total net capacity: 143 litre (Fridge: 125 litre/

Freezer compartment: 18 litre)

Noise output: 38 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/60.1/62.8 1

TPesf 1714



(60)

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 146/0.399 kWh ¹

Total net capacity: 143 litre (Fridge: 125 litre/

Freezer compartment: 18 litre)

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Stainless steel/silver

Exterior dimensions in cm (h/w/d): 85/60.1/61 1

TPesf 1710

 A^{++}

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 93/0.254 kWh ¹ Total net capacity: 145 litre

Noise output: 39 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Stainless steel/silver

(60)

Exterior dimensions in cm (h/w/d): 85/60.1/61 1

Energy efficiency class: (A*)

Energy consumption year/24 hrs: 186/0.508 kWh

Noise output: 40 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/60.1/62.8

Controls

- · MagicEye on front, key electronic
- · Digital temperature display for fridge compartment

Fridge compartment

- · Premium GlassLine storage shelf with bottle holder,
- · 3 GlassLine storage shelves, of which one is divided into two parts
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · Ice cube tray
- · Temperature rise time: 17 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

· SwinaDesian

84

- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

Fridge compartment

- into two parts
- · LED lighting
- · 2 fruit and vegetable drawers

- · MagicEye on front, key electronic
- · Digital temperature display
- · Automatic SuperCool

- · Premium GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves, of which one is divided

Kev features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

- · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder,
- · 2 GlassLine storage shelves, of which one is divided into two parts
- · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · Ice cube tray
- · Temperature rise time: 10 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

- Controls · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder,
- 2 GlassLine storage shelves, of which one is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ****

- · Ice cuhe trav
- Temperature rise time: 10 h
- Freezing capacity in 24 hrs: 2 kg

Kev features

- HardLine
- · Stainless steel slimline door handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- Height-adjustable feet at front
- Reversible door hinging

Controls

Mechanical control in interior, control dial

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder,
- · 4 GlassLine storage shelves, of which one is divided
- into two parts
- · LED lighting · 2 fruit and vegetable drawers

Key features

- · Hardl ine
- Stainless steel slimline door handle Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop)
- and removable tabletop Height-adjustable feet at front
- Reversible door hinging

T 1714



Total net capacity: 143 litre (Fridge: 125 litre/

Freezer compartment: 18 litre)

Controls

- · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder,
 - Egg tray · 2 GlassLine storage shelves, of which one is divided
- into two parts
- · LED lighting · 2 fruit and vegetable drawers

Temperature rise time: 10 h

· Freezing capacity in 24 hrs: 2 kg

Freezer compartment *****

- · Ice cube tray
- Key features
- SwinaDesian
- · Ergonomically designed slimline handle · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3, According to (EU) 2017/1369 6a.



The space-saving integrated **LED light** ensures that the whole interior of the refrigerator is evenly and harmoniously lit. With its low energy consumption, the long-lasting LED light is an environmentally friendly solution for a perfect overview of the food in the fridge.



Models in the Comfort range feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.





(55**)**

TP 1414

 A^{++}

Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 139/0.380 kWh ¹

Total net capacity: 122 litre (Fridge: 107 litre/Freezer compartment: 15 litre)

(55)

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/55.4/62.3 1

Controls

- · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 2 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Temperature rise time: 10 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

- SwingDesign
- · Ergonomically designed slimline handle
- \cdot Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging





Energy efficiency class: (A**) 1

Energy consumption year / 24 hrs: 92 / 0.252 kWh ¹

Total net capacity: 136 litre

Noise output: 38 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/55.4/62.3 ¹

T 1504

(55)



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 182/0.498 kWh

Total net capacity: 133 litre (Fridge: 116 litre/Freezer compartment: 17 litre)

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/55.4/62.3

Controls

· Mechanical control in interior, control dial

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- Reversible door hinging

- Controls
- · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 2 GlassLine storage shelves
- LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Temperature rise time: 10 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

- SwingDesign
- · Recessed handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.





(50)







T 1414



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 177/0.484 kWh

Total net capacity: 122 litre (Fridge: 107 litre/Freezer compartment: 15 litre)

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/50.1/62

T 1410

(50)



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 118/0.321 kWh

Total net capacity: 136 litre

Noise output: 37 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/50.1/62

· Mechanical control in interior, control dial

· CoolPlus function

Controls

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 2 GlassLine storage shelves
- · LED lighting
- \cdot 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Temperature rise time: 10 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

- SwingDesign
- · Ergonomically designed slimline handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

· Mechanical control in interior, control dial

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

T 1404



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 177/0.484 kWh

Total net capacity: 122 litre (Fridge: 107 litre/Freezer compartment: 15 litre)

450

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85/50.1/62

Tb 1400



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 118/0.321 kWh

Total net capacity: 136 litre

Noise output: 37 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: black/black

Exterior dimensions in cm (h/w/d): 85/50.1/62

Controls

- · Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- · Plastic door shelves, Egg tray
- · 2 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Temperature rise time: 10 h
- · Freezing capacity in 24 hrs: 2 kg

Key features

- SwingDesign
- · Recessed handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

· Mechanical control in interior, control dial

Fridge compartment

- · Plastic door shelves, Egg tray · 4 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Key features

- · SwinaDesian
- · Recessed handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



Our freezers: an overview

Featuring options such as NoFrost, SmartFrost, StopFrost and FrostProtect – Liebherr freezers offer maximum convenience. With tall, under counter and chest freezers available – Liebherr has just the right appliance whatever your requirements. Choose from a variety of sizes and select your preferred fittings.

No Frost The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

Smart Frost With the **SmartFrost** technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are very smooth and easy-to-clean offering additional capacity.

Stop Frost Frosting over of the freezer and frozen food is reduced, reducing the number of times you need to defrost the freezer. **StopFrost** prevents a vacuum from building up in our chest freezers, ensuring the lid opens easily.

Frost Protect FrostProtect models will work in ambient **temperatures as low as -15 °C** for example in an unheated garage or outbuilding.

Tall freezers





Under counter freezer



page 103



from page 105

Chest freezers



from page 112

Selected SmartFrost freezer models



rom page 104



The **NoFrost system** from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Smart

Frost

With the **SmartFrost technology**, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are smooth and easy-to-clean offering additional capacity. Freezer drawers and glass shelves made of safety glass can be removed easily.






The **status indicator** is discretely integrated into the appliance door, allowing for quick and easy assessment of the appliance status, even if the door is closed. A blue light indicates that the appliance is working properly. In the case of any other status, a red light and an audible tone are emitted.



The high-resolution, high-contrast **2.4" touchscreen display** is integrated behind the door and enables individual temperature setting.



Energy-efficient, powerful, long-life and environmentally friendly **LEDs** are integrated into the underside of the freezer interior to illuminate the contents of the drawers when they are opened. As soon as the door is opened, the LED lighting brightens, conveniently displaying the contents of the drawers.





So that food can be conveniently accessed with minimal effort, even if the drawers are fully stocked, all BluPerformance freezer **drawers** are sited on smooth-running **roller tracks**. For convenient removal and storage of food, the top drawer tilts slightly downwards when opened – an especially helpful feature in taller appliances. The position and size of the bottom drawer make it ideal for storing ice cream, herbs or other small items.

The features shown are model dependent; look for these features in your model choice.



Many freezers are kept outside of the normal household environment, so Liebherr has developed FrostProtect on selected models to enable these models to function in low ambient temperatures. Models indicated as FrostProtect will work in **ambient temperatures** as low as -15 °C.



The transparent freezer drawers on **telescopic rails** are easy to access and use even when filled with heavy contents. They ensure both great visibility and optimum storage. The **FrostSafe** fully enclosed drawers prevent cold air from escaping, thereby reducing energy consumption.






The automatic **SuperFrost** function makes freezing food simple and energy efficient. It rapidly lowers the temperature to -32 °C to create the temperature levels required to preserve vitamins and enhance the flavour and texture of the food when consumed.



BluPerformance models have their refrigeration technology compactly integrated in the plinth, minimising operating noise and saving space. Maximum performance thereby comes hand-in-hand with a considerably larger net capacity and greater energy efficiency.

- 1. Power connection for appliance plug 2. Functional wall spacer to maintain wall clearance and allow connection
- 3. Variable speed compressor 4. Plinth fan with noise-damping 5. Condenser 6. Defrost water drain

The features shown are model dependent; look for these features in your model choice.



The freezer drawers in the BluPerformance appliances can be easily opened on roller tracks.

The drawers and intervening glass shelves in all appliances can be removed to create **VarioSpace** – a no-fuss system for quickly creating extra storage space.




If you are not using the entire freezer space, unused drawers can be switched off with the optional **Vario Energy-Saving Panel**. Energy consumption can then be reduced again by up to 30%.

NoFrost freezers















(60)

GN 5215



Energy consumption year/24 hrs: 201/0.550 kWh ¹

Energy efficiency class: (A***) 1

Climate rating: SN-T (+10 °C to +43 °C)

Total net capacity: 360 litre

Door/side walls: white/white

Noise output: 39 dB(A)





(70)





Energy efficiency class: (A***) 1

Total net capacity: 268 litre

Climate rating: SN-T (+10 °C to +43 °C)

SmartSteel / Stainless steel with SmartSteel

Door/side walls: Stainless steel with

Noise output: 38 dB(A)



Energy consumption year/24 hrs: 168/0.458 kWh ¹



(60)













Energy efficiency class: (A***) 1 Energy consumption year/24 hrs: 168/0.458 kWh ¹ Total net capacity: 268 litre

Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door / side walls: white / white

Exterior dimensions in cm (h/w/d): 185/60/66.5 1 Exterior dimensions in cm (h/w/d): 185/60/66.5 1

Controls

· 2.4" TFT-monochrome display behind-the-door, touch electronic

Exterior dimensions in cm (h/w/d): 195/70/75 1

- · Digital temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment ****

- · 8 drawers, VarioSpace
- · Ice cube tray
- · LED lighting · Status indicator
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 26 kg
- · Safety glass fittings

Key features

· HardLine

98

- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening

Controls

- · 2.4" TFT-colour display behind-the-door, touch
- Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment ****

- · 8 drawers, of which 7 set on roller tracks, VarioSpace
- · Ice cube tray
- · LED lighting
- · Status indicator
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 18 kg
- · 2 Cold storage accumulators
- · Safety glass fittings
- · HardLine

Key features

- · Aluminium handle with integrated opening mechanism
- · Versatile installation due to front ventilation · Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ****

- · 8 drawers, of which 7 set on roller tracks, VarioSpace
- · Ice cube tray
- LED lighting
- · Status indicator
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 18 kg 2 Cold storage accumulators
- · Safety glass fittings

Key features

- Hardl ine
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

GNP 3755







(60)

Energy efficiency class: A 1

Energy consumption year/24 hrs: 154/0.420 kWh ¹

Total net capacity: 230 litre Noise output: 38 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 165/60/66.5 1

GNP 3013





Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 245/0.670 kWh ¹

Total net capacity: 257 litre

Noise output: 41 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 184.1/60/63 1

Controls

- · 2.4" TFT-colour display behind-the-door, touch electronic
- Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ****

- · 7 drawers, of which 6 set on roller tracks, VarioSpace
- · Ice cube trav
- · LED lighting
- · Status indicator
- Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 17 kg
- · 2 Cold storage accumulators

· Safety glass fittings

- Key features · HardLine
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging
- Replaceable door seal
- · Concealed hinge with restricted opening

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Freezer compartment ****

- · 8 drawers, of which 1 herb and berry tray, VarioSpace
- · Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 20 kg · Safety glass fittings

Key features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable castors at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm and 1.5 cm at BluPerformance-appliances. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



If you are not using the entire freezer space, unused drawers can be switched off with the optional Vario Energy-Saving Panel. Energy consumption can then be reduced again by up to 30%.



The **NoFrost system** from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.







(60)

GNP 2713





(60)



Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 225/0.616 kWh ¹

Total net capacity: 221 litre

Noise output: 41 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 164/60/63 1

Controls

- · MagicEye on front, key electronic
- Graphic temperature display
- Automatic SuperFrost, time-controlled
- Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Freezer compartment ****

- \cdot 7 drawers, of which 1 herb and berry tray, VarioSpace
- · Ice cube tray
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 18 kg
- Safety glass fittings

Kev features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- Reversible door hinging

GNP 2313







Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 206/0.563 kWh ¹

Total net capacity: 185 litre

Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 144.7/60/63 1

GNP 1913

(60)





Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 186/0.508 kWh ¹

Total net capacity: 149 litre

Noise output: 42 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 125/60/63 1

Controls

- · MagicEye on front, key electronic
- Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Freezer compartment ****

- · 6 drawers, of which 1 herb and berry tray, VarioSpace
- · Temperature rise time: 14 h
- · Freezing capacity in 24 hrs: 16 kg
- · Safety glass fittings

Key features

- · SwinaLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic

Freezer compartment ****

- · 5 drawers, of which 1 herb and berry tray, VarioSpace
- · Temperature rise time: 14 h
- · Freezing capacity in 24 hrs: 15 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Under counter NoFrost freezer



The **NoFrost system** from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

- 22 22

GNP 1066



(60)

GNP 1066





Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 150/0.409 kWh ¹

Total net capacity: 91 litre

Noise output: 40 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85.1/60.2/62.8 ¹



The drawers and intervening glass shelves can be removed to create VarioSpace a no-fuss system for quickly creating extra storage space.

Controls


- · MagicEye on front, key electronic
- · Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic


Freezer compartment *****

- · 3 drawers, VarioSpace
- · Temperature rise time: 22 h
- · Freezing capacity in 24 hrs: 14 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- SwingDesign
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging





SmartFrost freezers Under counter SmartFrost freezer



GP 2733



Climate rating: SN-T (+10 °C to +43 °C)

Energy consumption year/24 hrs: 206/0.562 kWh ¹

Designed to operate in ambient temperatures as low

Exterior dimensions in cm (h/w/d): 164.4/60/63.2 1

Energy efficiency class: (A**) 1

Total net capacity: 224 litre

Noise output: 40 dB(A)





GP 2433



Energy efficiency class: (A**) 1

Total net capacity: 190 litre

Noise output: 40 dB(A)















Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 175/0.479 kWh ¹ Total net capacity: 156 litre

Noise output: 40 dB(A)

Climate rating: SN-T (+10 °C to +43 °C) Climate rating: SN-T (+10 °C to +43 °C) Designed to operate in ambient temperatures as low Designed to operate in ambient temperatures as low

as -15°C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 125/60/63.2 1

Controls

as -15°C

· MagicEye on front, key electronic

· Graphic temperature display

Door/side walls: white/white

- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic

Freezer compartment ****

- · 7 drawers, VarioSpace
- · Temperature rise time: 28 h
- · Freezing capacity in 24 hrs: 22 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors at back
- · Reversible door hinging

104

Controls

as -15°C

· MagicEye on front, key electronic

Door/side walls: white/white

- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic

Exterior dimensions in cm (h/w/d): 144.7/60/63.2 1

Energy consumption year/24 hrs: 191/0.522 kWh ¹

Freezer compartment ****

- · 6 drawers, VarioSpace
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 22 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors
- · Reversible door hinging

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual and acoustic

Freezer compartment ****

- · 5 drawers, VarioSpace
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 19 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles at back
- · Height-adjustable feet at front, transport castors
- · Reversible door hinging



The elegant and precise MagicEye control with its temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use.

The automatic **SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.



GP 1486







Energy efficiency class: (A***) 1

Energy consumption year/24 hrs: 100/0.273 kWh ¹

Total net capacity: 103 litre

Noise output: 37 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85.1/60.2/62.8 1

Controls

- · MagicEye on front, key electronic
- · Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic

Freezer compartment ****

- · 4 drawers, VarioSpace
- · Temperature rise time: 23 h
- · Freezing capacity in 24 hrs: 11 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

The **tabletop** of the under counter freezers is

extremely robust, with a scratch and heat

resistant surface.









(55)

GPesf 1476







(60)

Energy efficiency class: (A**) 1 Energy consumption year/24 hrs: 151/0.413 kWh ¹

Total net capacity: 103 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: Stainless steel/silver

Exterior dimensions in cm (h/w/d): 85.1/60.2/61 1

GP 1376















(55)



Total net capacity: 103 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85.1/55.3/62.4 1

Controls

- · MagicEye on front, key electronic
- · Digital temperature display
- · Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic

Freezer compartment ****

- · 4 drawers, VarioSpace
- · Temperature rise time: 24 h
- · Freezing capacity in 24 hrs: 11 kg
- · 2 Cold storage accumulators
- · Safety glass fittings

Kev features

- · HardLine
- · Stainless steel slimline door handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging











Energy efficiency class: (A**) 1

Energy consumption year/24 hrs: 151/0.413 kWh ¹

Controls

- · MagicEye on front, key electronic
- · Digital temperature display
- Automatic SuperFrost, quantity-controlled
- · Warning signal in case of fault: visual and acoustic

Freezer compartment ****

- · 4 drawers, VarioSpace
- · Temperature rise time: 23 h
- Freezing capacity in 24 hrs: 11 kg
- · 2 Cold storage accumulators
- Safety glass fittings

Kev features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

GP 1213









Energy efficiency class: A++ 1

Energy consumption year/24 hrs: 149/0.407 kWh ¹

Total net capacity: 98 litre

Noise output: 40 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 85.1/55.3/62.4 1

(55**)**

Energy efficiency class: (A*)

GX 823

Energy consumption year/24 hrs: 172/0.470 kWh

Total net capacity: 68 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 63.1/55.3/62.4

Controls

- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual

Freezer compartment ****

- · 3 drawers, VarioSpace
- · Temperature rise time: 26 h
- · Freezing capacity in 24 hrs: 11 kg
- · Safety glass fittings

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front · Reversible door hinging

- Controls
- · MagicEye on front, key electronic
- · Graphic temperature display
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual

Freezer compartment ****

- · 2 drawers, VarioSpace
- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 8 kg
- · Safety glass fittings

Key features

- · SwinaDesian
- · Ergonomically designed slimline handle
- · Height-adjustable feet at front
- · Reversible door hinging

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.


Chest freezers



Chest freezers in the premium range benefit from the **SoftSystem** closing mechanism, a convenient and desirable feature for everyday use. Integrated into the hinges on the freezer lid, SoftSystem allows the lid to close gently and prevents slamming.



Due to their shape and size, many chest freezers are kept outside of the normal household environment so Liebherr has developed FrostProtect to enable these models to work in low ambient temperatures. All chest freezer models will work in **ambient temperatures as low as -15 °C**.



StopFrost prevents a vacuum from building up, ensuring the lid opens easily. Frosting over of the freezer and frozen food is reduced, which limits the number of times you need to defrost the freezer.



The heat-exchange **condenser** is embedded in foam along the exterior wall, minimising vibration and promoting quieter operation. No condensation forms on the easy-to-clean outside walls.



In the best A+++ energy efficiency class, the appliances are approximately 48 % more energy efficient than the top limit of class A+.



The bright **LED interior light** allows a clear view of all your stored products even in low ambient lighting conditions.



All operating and control functions are clearly and practically integrated into the ergonomically designed **chest freezer handle**. As soon as the food is completely frozen, the automated **SuperFrost function** switches back to normal mode.

The features shown are model dependent; look for these features in your model choice.

Chest freezers with StopFrost



Energy efficiency class: (A*)

Energy consumption year/24 hrs: 388/1.062 kWh

Total net capacity: 572 litre

Noise output: 40 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 91.5/165.3/80.9

GTP 2756















Energy efficiency class: A***

Energy consumption year/24 hrs: 127/0.347 kWh

Total net capacity: 240 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 91.5/129.4/76

This appliance is not available in United Kingdom

Controls

GT 6122

- · Electronic controls in chest handle, key electronic
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual

Freezer compartment ****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- · Temperature rise time: 59 h
- · Freezing capacity in 24 hrs: 33 kg
- · Defrost drain
- · Removable freezer tray as partition wall can be used as a drip tray
- · 3 Suspension baskets as standard, 13 retrofittable

Kev features

- SwingDesign
- · Ergonomically designed chest freezer handle

Controls

- · MagicEye in door handle, key electronic
- · Digital temperature display
- Automatic SuperFrost, quantity-controlled
- Warning signal in case of fault: visual and acoustic
- Door alarm: acoustic

Freezer compartment *****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- Temperature rise time: 110 h
- Freezing capacity in 24 hrs: 25 kg
- · 1 Cold storage accumulator
- Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray
- · 3 Suspension baskets as standard, 7 retrofittable

Key features

- · SwingDesign
- · Ergonomically designed chest freezer handle
- Lock

GT 3632











Energy efficiency class: (A**)

Energy consumption year / 24 hrs: 225 / 0.614 kWh

Total net capacity: 324 litre

Noise output: 40 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 91.5/113.8/76

Energy efficiency class: (A**)

GT 2632

Energy consumption year/24 hrs: 190/0.518 kWh

Total net capacity: 237 litre

Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Designed to operate in ambient temperatures as low as -15 °C

Door/side walls: white/white

Exterior dimensions in cm (h/w/d): 91.5/87.8/76

Controls

- · Electronic controls in chest handle, key electronic
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual

Freezer compartment ****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- · Temperature rise time: 60 h
- Freezing capacity in 24 hrs: 28 kg
- Defrost drain
- · Removable freezer tray as partition wall can be used as a drip tray
- · 2 Suspension baskets as standard, 8 retrofittable

Kev features

- SwingDesign
- · Ergonomically designed chest freezer handle

Controls

- · Electronic controls in chest handle, key electronic
- · Automatic SuperFrost, time-controlled
- · Warning signal in case of fault: visual

Freezer compartment ****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- · Temperature rise time: 48 h
- · Freezing capacity in 24 hrs: 24 kg
- · Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray
- · 2 Suspension baskets as standard, 5 retrofittable

Kev features

- SwingDesign
- · Ergonomically designed chest freezer handle

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



Our wine cabinets: an overview





Vinidor range

The Vinidor range offers maximum flexibility with two separately controlled temperature zones. The temperature of these can be set independently between +5 °C and +20 °C. This means that red and white wines can be stored at their ideal serving temperatures in the same cabinet. These cabinets not only provide the ideal climate conditions for long-term storage of wine, but with differently sized zones and fully adjustable temperature controls, they are suitable for every wine collection.





GrandCru and Vinothek range

Wine storage cabinets offer similar conditions to a wine cellar. This range facilitates the storage of red and white wines at the correct long term storage temperatures or individual serving temperatures. The temperature can be adjusted from +5 °C to +20 °C as appropriate, and is both even and constant throughout the entire appliance interior.





Vinothek range

Multi-temperature wine cabinets from the Vinothek range offer versatile storage for different types of wine, each at its perfect drinking temperature. The innovative climate technology that we use creates a graduated temperature zone from up to +18 °C and down to +5 °C. In this way a variety of wines can be stored at the various correct serving temperatures.

Wine lovers have the most stringent demands when it comes to storing their favourite wines. Many like to be able to enjoy their fine wines on the spur of the moment; others prefer to establish a collection of wines over the longer term; and some want the best of both worlds. Liebherr offers premium wine storage cabinets that guarantee perfect long term wine storage and serving temperatures, whatever your requirements. With heating and cooling circuits and air filtration, our wine cabinets offer unsurpassed wine storage conditions.





Vinidor - from page 120

GrandCru – page 122





Design & Lifestyle – page 127



The electronic LCD display offers clear menu navigation and a **Touch-electronic control system** provides bespoke storage conditions. The digital temperature display can be read from the outside of appliances with glass doors. The Touch-electronic navigation ensures easy selection and use of the numerous control functions. The Vinidor 2 and 3 zone models feature an integrated door seal in the dividing shelf to maintain correct individual temperatures.



The Vinidor appliances are equipped with solid **wooden shelves mounted on telescopic rails.** The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. The **clip-on labelling system** provides a quick and clear overview of your wine store.



The **LED lighting** in the wine storage compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with no-heat LED lighting. The LED lighting system can be adjusted to activate during door openings or to be on continuously at various intensity settings (depending on model).



The **tinted safety glass** in Liebherr wine cabinets guarantees the essential UV protection for your fine wines. The practical aluminium **door handle**, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



The practical **presentation shelf** of the Vinidor models fulfills both bottle storage and bottle presentation functions. The bottles can be stored horizontally at the back of the interior.



The **SoftSystem** feature provides added safety and convenience. Integrated within the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 45°.

The features shown are model dependent; look for these features in your model choice.

Wine storage cabinets Vinidor







(60)

121

WTes 5872

Max. Bordeaux bottles 0.75 l: 178

Gross/net capacity: 578/496 litre

Climate rating: SN-ST (+10 °C to +38 °C)

Energy efficiency class: (A) 2

Noise output: 38 dB(A)



Door/side walls: Glass door with stainless steel frame/stainless steel

Energy consumption year/24 hrs: 180/0.493 kWh ²















(70)

Energy efficiency class: (A) 2

Energy consumption year/24 hrs: 182/0.498 kWh²

Max. Bordeaux bottles 0.75 l: 211 1

Gross/net capacity: 593/516 litre

Noise output: 38 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door with stainless steel frame/stainless steel

Exterior dimensions in cm (h/w/d): 192/70/74.2 ²

Controls

- · LCD display in the interior, touch electronic
- · Digital temperature display for 3 wine zones
- · Warning signal in case of fault: visual and acoustic

Exterior dimensions in cm (h/w/d): 192/70/74.2 ²

- · Door alarm: acoustic
- · Child lock

Wine compartment

- \cdot 3 Temperature zones, which can set from +5 °C to +20 °C
- · 3 independently controllable zones
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- · LED lighting permanently on, dimmable
- Beech wood fittings
- · 13 Shelves, of which 10 set on telescopic rails, of which 1 is a presentation shelf

Key features

- · Hardl ine
- · Aluminium handle with integrated opening mechanism
- · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening

Controls

- · LCD display in the interior, touch electronic
- · Digital temperature display for both wine zones
- Warning signal in case of fault: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment


- \cdot 2 Temperature zones, which can set from +5 °C to +20 °C
- · 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- · LED lighting permanently on, dimmable
- Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features

- · HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- · Replaceable door seal
- Concealed hinge with restricted opening



compartments can be dimmed to give a pleasing ambient light inside the appliance. The LED lighting system can be adjusted





The electronic LCD display is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.



WTes 1672









Energy efficiency class: (A)

Energy consumption year/24 hrs: 137/0.375 kWh

Max. Bordeaux bottles 0.75 l: 34 1

Gross/net capacity: 123/95 litre

Noise output: 38 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door with stainless steel frame/stainless steel

Exterior dimensions in cm (h/w/d): 82.2/59.8/57.5

Controls

- · MagicEye control in interior, touch electronic
- Digital temperature display for both wine zones
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- Child lock

Wine compartment

- · 2 Temperature zones, which can set from +5 °C to +20 °C
- · 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- · LED lighting permanently on, dimmable
- Beech wood fittings
- · 5 Shelves, of which 3 set on telescopic rails

Key features

- · HardLine
- · Aluminium handle
- · Reversible door hinging
- · Replaceable door seal
- Lock

1 These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm) You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

2 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

Wine storage cabinets GrandCru

Wine storage cabinets Vinothek











(60)

WKt 6451







Energy consumption year/24 hrs: 118/0.323 kWh

Max. Bordeaux bottles 0.75 l: 312 1

Energy efficiency class: A**

Gross/net capacity: 666/625 litre

Noise output: 41 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Full door, terra/terra

Exterior dimensions in cm (h/w/d): 193/74.7/75.9

WKt 5552











(70)



Energy consumption year/24 hrs: 140/0.382 kWh

Max. Bordeaux bottles 0.75 I: 253 1

Gross/net capacity: 573/525 litre

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door, frame terra/terra

Exterior dimensions in cm (h/w/d): 192/70/74.2

- · MagicEye on front, key electronic
- · Digital temperature display
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- · Child lock

Controls

Wine compartment

- \cdot 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- · LED interior lighting
- · Adjustable beech wood shelves
- · 7 Shelves

Key features

- · SwingLine design
- · Aluminium handle with integrated opening mechanism
- · Reversible door hinging
- · Lock

122









Controls

- · MagicEye in the interior, key electronic
- · Digital temperature display
- Warning signal in case of fault: visual and acoustic
- Door alarm: acoustic
- Child lock

- · 1 Temperature zone, which can set from +5 °C to +20 °C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- · LED lighting permanently on
- Adjustable beech wood shelves
- · 7 Shelves

Key features

- HardLine
- · Aluminium handle with integrated opening mechanism
- Reversible door hinging
- · Replaceable door seal
- Lock

WKb 4212



Energy efficiency class: (A)

Energy consumption year/24 hrs: 168/0.458 kWh Max. Bordeaux bottles 0.75 l: 200 1

Gross/net capacity: 427/395 litre

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door, frame black/black

Exterior dimensions in cm (h/w/d): 165/60/73.9

WKr 4211

Energy efficiency class: (A**) Energy consumption year/24 hrs: 103/0.282 kWh

Max. Bordeaux bottles 0.75 I: 200 1

Gross/net capacity: 409/377 litre Noise output: 39 dB(A)

Climate rating: SN-T (+10 °C to +43 °C)

Door/side walls: Full door, burgundy/black

Exterior dimensions in cm (h/w/d): 165/60/73.9

WKb 1812





Energy efficiency class: (A*) Energy consumption year/24 hrs: 113/0.307 kWh

Gross/net capacity: 145/134 litre

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door, frame black/black

Exterior dimensions in cm (h/w/d): 89/60/61.3

Controls

- · MagicEye on front, key electronic
- Digital temperature display
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- Child lock

Wine compartment

- · 1 Temperature zone, which can set from +5°C to +20°C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- Interior lighting permanently on
- · Adjustable beech wood shelves
- 6 Shelves

Key features

- · HardLine
- Ergonomically designed slimline handle, black
- · Reversible door hinging
- Replaceable door seal

Controls

- MagicEye on front, key electronic
- Digital temperature display
- Warning signal in case of fault: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- · 1 Temperature zone, which can set from
- +5°C to +20°C Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- · Adjustable beech wood shelves
- 6 Shelves

Key features

- Hardl ine
- Ergonomically designed slimline handle, black
- Reversible door hinging
- Replaceable door seal

(60)



Max. Bordeaux bottles 0.75 l: 66 1

Noise output: 38 dB(A)

Controls

- · MagicEye on front, key electronic
- Digital temperature display
- Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- · Child lock

Wine compartment

- · 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- Interior lighting permanently on · Adjustable grid shelves
- · 3 Shelves

Key features

- · Ergonomically designed slimline handle, black
- · Reversible door hinging
- Replaceable door seal

1 These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 I) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm) You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.





The wine cabinets are equipped with an accurate **electronic control system** and digital temperature display. These appliances incorporate a special climate control system that can layer the temperatures. In the upper zone, for example, red wine can be kept at +16 °C to +18 °C while the lower zone is set at an ambient temperature of +5 °C to +7 °C.



Ideal humidity via Lava stone. The humidity in the Vinothek models can be increased by using Lava stone.



(60**)**

WTb 4212



Energy efficiency class: (A)

Energy consumption year/24 hrs: 168/0.460 kWh

Max. Bordeaux bottles 0.75 I: 200 1

Gross/net capacity: 427/395 litre

Noise output: 41 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Door/side walls: Glass door, frame black/black

Exterior dimensions in cm (h/w/d): 165/60/73.9

Controls

- · MagicEye on front, key electronic
- · Digital temperature display
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- · Child lock

Wine compartment

- · 6 Targeted temperature layers ranging from +5 °C to +18 °C
- · Fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via lava stones
- · Interior lighting permanently on
- · Adjustable beech wood shelves
- · 6 Shelves

Key features

- · HardLine
- · Ergonomically designed slimline handle, black
- · Reversible door hinging
- · Replaceable door seal

¹ These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm) You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Design & Lifestyle











43

WKes 653





















Energy efficiency class: (A**)

Energy consumption year/24 hrs: 75/0.205 kWh Max. Bordeaux bottles 0.75 l: 12 1

Gross/net capacity: 56/38 litre

Noise output: 40 dB(A)

Climate rating: SN (+10 °C to +32 °C)

Door/side walls: Glass door with stainless steel frame and SmartSteel / stainless steel with SmartSteel Exterior dimensions in cm (h/w/d): 61.2/42.5/47.8

Energy efficiency class:

Energy consumption year/24 hrs: 162/0.443 kWh Gross/net capacity: 43/39 litre

Noise output: 40 dB(A)

Climate rating: N (+16 °C to +32 °C)

Door/side walls: Glass door with stainless steel frame and SmartSteel/stainless steel with SmartSteel Exterior dimensions in cm (h/w/d): 61.2/42.5/47.8

Energy efficiency class: (A*)

Energy consumption year/24 hrs: 107/0.293 kWh

Noise output: 35 dB(A)

Climate rating: SN-ST (+10 °C to +38 °C)

Controls

- · LCD display in the interior, touch electronic
- · Digital temperature display
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- · Child lock

Wine compartment

- · 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- · LED lighting permanently on, dimmable
- · Beech wood fittings

· 3 Shelves Key features

- · HardLine
- · Fixed door hinge, right
- · Replaceable door seal
- · Utensil drawer
- · Suitable for wall mounting
- · Lock

Controls

- · LCD display in the interior, touch electronic
- Digital display of temperature and humidity
- · Warning signal in case of fault: visual and acoustic
- · Door alarm: acoustic
- Child lock

Humidor

- · 1 Temperature zone, which can set from +16 °C to +20 °C
- Humidity range, adjustable between 68% to 75% · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Spanish cedar wood fittings
- 2 Shelves

Key features

- HardLine
- · Fixed door hinge, right
- Replaceable door seal
- · 2 presentation boxes · Suitable for wall mounting
- Lock

Gross/net capacity: 45/42 litre

Door/side walls: Glass door with stainless steel frame and SmartSteel/stainless steel with SmartSteel

Exterior dimensions in cm (h/w/d): 61.2/42.5/45

Controls

· Mechanical controls, external control dial

Fridge compartment

- · 1 Temperature zone, which can set from
- +2°C to +10°C
- · LED lighting permanently on, dimmable
- · Galvanised grid shelves
- · 3 Shelves

Key features

- · HardLine
- · Height-adjustable feet at front
- · Fixed door hinge, right
- · Replaceable door seal
- · Suitable for wall mounting
- · Lock

1 These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm) You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.









Smart communication on all fronts



BioFresh App Useful information about perfect food storage, as well as vitamin and mineral content.



Smoothies & Ice-App Playful fun; With just a tap, ice-cubes tumble down your screen and can be

moved and crushed.



Find out which app is available for which operating system (Apple, Android etc.), and which device type. apps.home.liebherr.com



View topic specific websites with in-depth information about BioFresh/NoFrost and wine cabinets via the QR code.









Discover the world of Liebherr-Appliances with the latest interesting news, stories, valuable tips and tricks on food storage, recipes and lots more besides!













Click the link to directly access our social media channels:

socialmedia.home.liebherr.com

Please contact Liebherr-Great Britain Ltd. to locate your nearest Liebherr displaying dealer:

home.liebherr.com